

LITTLITE LED

THE LITTLITE LED IS NOW AVAILABLE!!!

LITTLITE L.E.D. – The Coolest Littlite Yet!

21ST Century LED Technology implemented in a thoughtful manner brings new advantages to the Littlite. Long life, shock and vibration resistant along with cool operation make the Littlite LED the perfect choice for many applications.

Even illumination over a wide area . . . specifically designed to evenly illuminate consoles and control panels. Some LED lights produce a very bright “spot” of light, but this is useless for illuminating a broad work space. This is not the case with the Littlite LED.

Excellent color rendering through the addition of red LEDs to the usual “white” LED light sources. “White” LEDs are actually blue LEDs with a phosphor added to convert some of the blue light to yellow. This mixture of blue and yellow light appears white to the eye but appears very cold, or bluish. Red objects appear brown and dull because there is no red light for them to reflect. The added red light from the Littlite LED warms the character of the light and allows the eye to see reds as they are, vibrant and not washed out.

Switchable red only output (Lampsets only) the Littlite LED can become a red light for unobtrusive use with no impact on the user’s night vision, or a white source with good color rendering. Littlite LED products employ six white and four red LEDs to give you the best display of usable white light in a compact package.

Low power – Approximately 100 milliamps at 12 volts drives the Littlite LED to full output.

Efficient – most of the power used by the Littlite LED is delivered to the LEDs . . . not a resistor.

Long life – Over-driving seriously reduces the life of white LEDs. The LEDs in the Littlite LED are not overdriven and may be expected to remain useful for over 5000 hours of operation.

NEW LED TECHNOLOGY built with the same Littlite reliability! Lifetime warranty on the mechanicals, two year warranty on the LED element.

L-12-LED & L-18-LED

Littlite LED Lampset with 12 or 18 inch gooseneck. Three way rocker switch allows user to toggle between white light and red light output. Complete with 12-volt transformer



L-12A-LED & L-18A-LED

Same as L-12-LED & L-18-LED but no transformer.



L-12E-LED & L-18E-LED

Littlite LED Lampsets with Euro-style transformer.

**L-12AE-LED & L-18AE-LED**

Littlite LED Lampsets configured for Euro-style transformer but actually no transformer is included in case, you know, you have your own transformer that you want to use instead of ours, which is okay with us.

**12G-LED & 18 G-LED**

Littlite LED Gooseneck with BNC connector. Available in 12 or 18-inch gooseneck length. Light output is white. Can be used anywhere a standard G-Series gooseneck works.

**12X-LED & 18X-LED**

Littlite LED Gooseneck with 3-pin XLR connector. Available in 12 or 18-inch gooseneck length. Light output is white. Can be used anywhere a standard X-Series gooseneck works.

**12X-4-LED & 18X-4-LED**

Littlite LED Gooseneck with 4-pin XLR connector. Available in 12 or 18-inch gooseneck length. Light output is white. Can be used anywhere a standard X-4-Series gooseneck works.

**18XR-LED**

Littlite LED Gooseneck with 3-pin, right angle XLR connector. Available in 18-inch gooseneck length. Light output is white. Can be used anywhere a standard XR-Series gooseneck works.

**18XR-4-LED**

Littlite LED Gooseneck with 4-pin, right angle XLR connector. Available in 18-inch gooseneck length. Light output is white. Can be used anywhere a standard XR-4-Series gooseneck works.

**12P-LED & 18P-LED**

Littlite LED Gooseneck with threaded connector for custom installation use. Work great with our MP and MP2 mounting plates! Available in 12 or 18-inch gooseneck length. Light output is white. Can be used anywhere a standard P-Series gooseneck works.



L-5/12-LED & L-5/18-LED

Littlite LED lampset for automotive use. Cordset routed through bottom of chassis for flush mounting. Gooseneck attached to end of chassis allows light to lay flat when not in use. Switchable between white and red light output.



L-6/12 LED & L-6/18 LED

Littlite LED lampset for automotive use. Cordset routed out the back of chassis. Gooseneck attached to end of chassis allows light to lay flat when not in use. Included cigarette plug adapter. Switchable between white and red light output.



L-9/12 LED & L-9/18-LED

Littlite LED lampset for automotive use. Cordset routed through bottom of chassis for flush mounting. Gooseneck attached to top of chassis. Switchable between white and red light output.

