





Lighting by Kliegmann

Model 1358/8


2000 watt
8" Klieglight

Kliegl

U.L. Listed Union Made in the U.S.A.




Throw Distance and Field Diameter



Lamps

ANSI Code	Watts	Color Temp.	Avg. Rated Life Hrs.	Nom. Lumens
CYX	2000	3200°K	250	59,000
BWA	2000	3200°K	400	57,000

Candlepower



Accessories

- 11358/8 Standard Color Frame
- 31358 Pattern Holder
- 41358 Set of 16 Patterns
- 1850B "C" Clamp (furnished as standard equipment)
- 1860C 18" "C" Clamp Side Arm
- 1422 30" Roller Caster Floor Stand or
- 1421 25" Roller Caster Floor Stand
- 110 Safety Cable (furnished as standard equipment)

Connectors

- 955 G 2-pole, 3-wire 20A Pin Connector
- TLG 2-pole, 3-wire 20A Twistlock Connector (L5-20P)


Kliegl

Kliegl Bros.
32-32 48th Ave.
Long Island City
New York 11101
212-786-7474
Telex: 960158

© 1980, Kliegl Bros.
Printed in U.S.A.

NOTE: MANUFACTURE WILL TAKE APPROXIMATELY WEEKS FOLLOWING RECEIPT OF APPROVED DRAWINGS BY.....

Lighting	NEW YORK LOS ANGELES	DESCRIPTION: KLIFGL #1558/8 QUARTZ ELLIPSOIDAL SPOTLIGHT.	S.O. #
			REF.
JOB DWG. #	CAT. #	DATE	SCALE 1/8"=1"
			PRG. DWG #
			5063



8 PLY HEAT RESISTING FIBER GLASS

LAMPS - (BY OTHERS)

CYX-2KW 200 HRS
BWA-2KW 300 HRS

CLIP FRAME C-570
COLOR FRAME #570
NOTE: WOOD FOLLOW HANDLE
LOCATION IS AT PATTERN SLOT